





ROCK N ROLL CIRCUS

**STAGING, LIGHTING PLOTS, CHANNEL LISTS,
VIDEO SPECS**



Rock & Roll Circus | Perspective


CG v3.0
DESIGN



 Aptex Brake Puller Standard_543	 Chevrolet Begon Outcast 1 Economic ISCS Made	 Chevrolet Slide V Single Mode 29CS (Basic)	 Mastix Mast Area 30 Extended	 Mastix MAC Viper Puller Extended	 Rube Lighting Farn 15 Made in - Standard 30 60
--	--	---	---	---	---

3D plot

Live (4000 Hz, 1/3 oct., 4.0 dBu)



SPL calculation

Highest SPL:	High (1m)
	122.5 dB

Simulated signal


Signal:	4.0 dBu
Show interferences:	4000 Hz (1/3 oct.)
	Off

Air absorption

Temperature:	On
Humidity:	20 °C
	60.0 %


Noise calibration point

y:	68.0 m
z:	0.0 m
SPL:	1.8 m
	104.3 dB



3D plot

Live (50 Hz, 1/3 oct., 4.0 dBu, w/interf.)



SPL calculation

Highest SPL:	High (1m)
	134.1 dB

Simulated signal


Signal:	4.0 dBu
Show interferences:	50 Hz (1/3 oct.)
	On


Air absorption

Temperature:	On
Humidity:	20 °C
	60.0 %


Noise calibration point

y:	68.0 m
z:	0.0 m
SPL:	1.8 m
	117.9 dB






Rock & Roll Circus | Overhead Stage



 Alyon Blade Profile Standard_540	 Chauvet Bogen Outdoor 1 Beamwork 15CA-Made	 Chauvet Stroke V Single Mode 29CA (Basic)	 Main Area Aero X2 Extended	 Main MAC Viper Profile Extended	 Rise Lighting Path FS Model 1 - Standard 30 ft
--	---	---	--	---	--



Video Control

Power needed - 63/3a

Black Magic

Constellation Switch
Racks Control

Pixelhue Screen Management
P20/Q8 (TBC)

LED Control Rack
VX600 - Imag L
VX600 - Imag R
VX1000 - USC

